

Emergency Medicine Procedures Listing

Please indicate your level of competency by assigning a number between 0 and 5 (5 indicating very experienced, 1 indicating no experience only academic training, and 0 indicating no training or experience).

___ Allergy Testing, with rapid desensitization, where indicated.

Cardiopulmonary Resuscitation – Adult & Pediatric

- ___ Closed Chest Massage
- ___ Open Chest Massage
- ___ Emergency Thoractomy with cross clamping of aorta, where indicated.
- ___ Synchronized cardioversion and/or defibrillation.
- ___ Orotracheal or Nasotracheal Intubation
- ___ Cricothyrotomy
- ___ Supervision of mechanically assisted
- ___ Intracardiac medication administration
- ___ Pericardiocentesis

Catheter Placement

- ___ Venous Catheterization
- ___ Medication Administration – IV, IC, IO
- ___ Phlebotomy
- ___ Arterial Puncture
- ___ Venous Cutdown
- ___ Intraosseous Needle Placement
- ___ Placement CVP Catheter: Subclavian
- ___ Internal Jugular, Antecubital, Femoral

- ___ Electrocardiograph Interpretation (acute changes, arrhythmias, etc.)

- ___ Insertion of Temporary Transvenous Pacemaker and Initiation of Pacing
- ___ Use of External Pacer

- ___ Thoracentesis and/or Insertion of Chest Tube
- ___ Paracentesis and/or Peritoneal Lavage
- ___ Gastric Intubation and Lavage
- ___ Lumbar Puncture
- ___ Arthrocentesis to include aspiration and/or injection of bursa
- ___ Anoscopy

___ Bladder Catherization
___ Suprapubic Bladder Aspiration and/or Catherization

___ Debridement and closure of lacerations and small soft tissue wounds including general suturing

___ Incision and drainage of abscess of hematoma

___ Debridement and dressing of burns

Removal of Foreign Body

- ___ Body Orifices (ears, nose, etc.)
- ___ Conjunctive and cornea
- ___ Skin and subcutaneous tissue, where visible or palpable

___ Control of epistaxis including placement of anterior and/or posterior pack and cautery

Reduction and treatment of dislocations

- ___ Phalanges, anterior should dislocation
- ___ Other joints at discretion of and after consultation with orthopedic surgeon

Reduction and/or treatment of fractures:

- ___ Non displaced fracture of phalanges, ribs, clavicle, or others of similar complexity.
- ___ Other at discretion of and after consultation with orthopedic surgeon

___ Initial treatment of fractures not requiring immediate orthopedic attention (immobilization with plaster splint, velpau dressing, etc.)

___ Slit lamp examination of eye

___ Application of Gardner-Wells cervical tongs

___ Provisional interpretation of x-rays when radiologist is not readily available.

Signature

Printed Name

Date